


Armchair with upholstered seat and backrest, steel sled base in polished chrome finish.



**Frame** Sled base of 12 mm diameter steel rod. Polypropylene glides.

**Seat** Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m<sup>3</sup> and 40 kg/m<sup>3</sup>.

**Back** Beech plywood covered with flexible flame retardant polyurethane foam with density between 25 kg/m<sup>3</sup> and 40 kg/m<sup>3</sup>.

**Accessories** Polypropylene, felt or steel glides.

#### Leather/Cuero Leather

##### Leather

**Grade L1**  
High grade cow leather (21)

**Grade L3**  
Polished full grain leather (21)

#### Fabrics

##### Telas

##### Grade 1

Era (20)  
Citadel (20)  
Gravity (30)  
Jacquard 1 (10)  
Jacquard 3 (15)  
Microfibra (14)  
Rivet (24)  
Sand (5)  
Urban (24)  
Xtreme (25)

##### Grade 2

Solid & Stripes (14)  
**Grade 3**  
Jacquard 4 (15)  
Linen (8)  
Main Line Flax (42)  
Medley (37)  
Natte (9)  
Revive 1 (25)

##### Grade 4

Cava 3 (49)  
Field (24)  
Floyd (23)

##### Grade 4

Hemp (21)  
Jacquard 4 (15)  
Special (15)  
Nexus (15)  
Oxygen (32)  
Remix 2 (49)

##### Grade 5

Blazer (60)  
Messenger 4 (44)  
Silk (21)  
Step (57)  
Step Melange (54)  
Synergy (75)

##### Grade 6

Chartres (13)  
Clara 2 (24)  
Craggan (10)  
Go Check (40)  
Swing (29)

##### Grade 7

Canvas 2 (45)  
Rime (27)

##### Grade 8

Capture (25)  
Divina 3 (56)  
Fiord (27)

##### Grade 8

Harald 3 (30)  
Lopi (15)  
Tonus 4 (64)  
Tonus Meadow (24)


##### Grade 9

Divina MD (27)  
Divina Melange 2 (24)  
Hallingdal 65 (58)  
Steelcut Trio 3 (54)

##### Ecopiel

1 Valencia (16)  
2 Silvertex (15)  
4 Dolce (15)  
5 Ledger (28)  
7 Sudden (30)

#### Steel finish



Polished Chrome

#### Aluminum finish



EPXB White



EPXN Black

#### Glides



#### Resistance and Quality

ISO 9001:2008  
UNE-EN 16139:2013

#### Fireproof

BS 5852:1982 Part 2  
California Technical Bulletin 117  
UNE-EN 1021-1:2006  
UNI 9175 (class 1 IM)

#### Sustainability

ISO 14001:2004  
ISO 14006:2011  
level 1 ANSI/BIFMA